Section 1: Product & Company Identification

Product Name: Carquest Battery Terminal Protector

Product Number (s): 1080, 1080C

Manufactured By: CRC Industries, Inc. (215) 674-4300

885 Louis Drive, Warminster, PA 18974

24-Hour Emergency Information: CHEMTREC (800) 424-9300

Section 2: Composition/Information on Ingredients

Component	CAS	ACGIH	OSHA	OTHER	%
	NUMBER	TLV	PEL	LIMITS	
Inhibited Paraffinic Oil	Mixture	5 mg/m3	5 mg/m3	(mist)	10-20
Microcrystaline Wax	8009-03-8	NE	5 mg/m3	NE	15-35
Xylene	1330-20-7	100 ppm	100 ppm	NE	< 10
Petroleum Distillate	8052-41-3	NE	NE	100 ppm	10-20
Isohexanes	107-83-5	500 ppm	500 ppm	NE	30-50
n-Hexane	110-54-3	50 ppm	50 ppm	NE	< 10
Heptane	142-82-5	400 ppm	400 ppm	NE	< 10

Section 3: Hazards Identification

Emergency Overview

Appearance & Odor: Red viscous liquid.

Danger: Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Potential Health Effects:

Inhalation: Headaches, dizziness, nausea and anesthesia.

Eyes: Irritation, burning Skin: Irritation, drying

Ingestion: NA

Carcinogenicity: OSHA: No IARC: No NTP: No

Chronic Overexposure: Dermatitis

Medical Conditions Aggravated by Exposure: NA

Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.

Eyes: Flush with large amounts of water for 15 minutes.

Skin: Remove contaminated clothing and wash area with soap and water.

Page 1 of 4

Call a physician. Do not induce vomiting. Ingestion: Section 5: Fire-Fighting Measures <0 °F Flashpoint: TCC Method: Extinguishing Media: CO₂, dry chemical and foam Hazardous Combustion Products: Thermal - carbon monoxide Fire-fighting Instructions: Remove containers from fire breathing apparatus for fire 1 above 120°F. Health: NFPA: 2 Flammability: 2 Flammability: Health: HMIS: Section 6: Accidental Release Measures Spill/Leak Procedures: Usually not a problem with aerosols. Area used to pick up excess material. All used and unused product sho state and local regulations. _____ Section 7: Handling and Storage Handling Procedures: Store in a cool, dry area. Aerosol cans mus from exploding. Aerosol Level: III Section 8: Exposure Controls/Personal Protection Engineering Controls: Adequate to prevent accumulation of vapor maintain levels below the exposure limits. If working in a confine regulations. Respiratory: Use NIOSH/MSHA compliant respirators or self-con limits. Follow OSHA regulations 29 CFR 1910.134. Protective Clothing/Equipment: Wear chemically protective glove boots if splashing occurs. Section 9: Physical & Chemical Properties Appearance & Physical State: Liquid Specific Gravity: **Boiling Point** 0.85 Freezing Point: ND Vapor Pressu Evaporation Rate: Vapor Densit NA NA Solubility: pH: Volatile Organic Compounds %: 78.4 g/L:

Product Name: Carquest Battery Terminal Protector

Section 10: Stability and Reactivity Stability: Stable Chemical Incompatibilities: Strong (Materials to Avoid: Strong (Hazardous Decomposition Products: None Section 11: Toxicological Information Long-term toxicological studies have not been condu acute symptoms of overexposure and carcinogenicity ______ Section 12: Ecological Information Ecotoxicity: No data available. Environmental Fate: No data available for b Ecotoxicity: No data available. Section 13: Disposal Considerations Disposal: This material if discarded may be hazardou activities must comply with federal, state and local re agency for specific rules. Do not dump into sewers, ______ Section 14: Transportation Information Shipping Name: Hazard Class: Consumer Commodity ORM-D NA Label: Special Provisions: NA _____ Section 15: Regulatory Information TSCA: All components are eit TSCA: SARA Title III: Section 311/312: Section 313*: CERCLA/Superfund (RQ): Extremely Hazardous Substances: California Prop 65: * See section 2 for percentage Section 16: Additional Information Prepared By: Michelle Milburn Technical Information: (800) 521-3168

Product Name: Carquest Battery Terminal Prote

Product Name: Carquest Battery Terminal Protector

Product Nui

This information is accurate to the best of CRC Industries' knowledge or obtained from CRC to be accurate. Before using any product, read all warnings and directions on the

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
LEL:	Lower Explosive Limit	g/L:	grams per Liter
UEL:	Upper Explosive Limit	lbs./gal:	pounds per gall
PPE:	Personal Protection Equipment	RQ:	Reportable Qua
Committee Commit	and the control of th		

COC: Cleveland Closed Cup